

Correct way to use  
**Fight Bac®**

- Hold can 1/2 inch below teat
- Apply a brief spray --  
**ONE CAN** will treat 300 cows
- Use Fight Bac® for 4 weeks  
to lower your somatic  
cell count

### Did you know?

Every \$1 spent on mastitis control returns up to \$8 in increased milk production.

Each case of mastitis costs an average of \$200 per cow.

Compare  
**AND SAVE!**

Udder Gold	6.2 cents/cow
Blockade barrier dip	5.8 cents/cow
Bovadine	4.0 cents/cow
<b>Fight Bac®</b>	<b>2.8 cent/cow</b>
Generic 1% iodine	2.1 cents/cow
Dairyland .5%	1.8 cents/cow


To improve mastitis control, increase dairy profitability and get **FREE SHIPPING** on every order, use Fight Bac®.

Visit [www.fightbac.com](http://www.fightbac.com) or call  
**1-800-656-6007.**



Blockade™ & Bovadine® are trademark and registered trademark of WestAgro,  
UdderGold® is a registered trademark of Ecolab, Fight Bac® is a registered trademark of Deep Valley Farm.

# Why Fight Bac<sup>®</sup> works better than conventional teat dip


## X-rays of teat ends



After milking



After teat disinfectant



**After dipping** - Milk dilutes strength of teat dip at teat end.

**After Fight Bac** - Milk is blown away from teat end leaving full strength disinfectant.